
Bathroom 2023-24







B.Light & B.Ambi

Designed by Deknudt Mirrors see p. 147 — 148



Brio IP44

Designed by Deknudt Mirrors see p. 149





DEKNUDT MIRRORS



DEKNUDT MIRRORS

Bathroom

Mirrors specifically designed to elevate your bathroom, offering optional magnifying, light and demisting functionalities. Customisable according to your wishes.

Hoop Zoom M


 $\bigcirc S \bigcirc 10$

p. 108 Designed by Deknudt mirrors

mirrored glass

- + magnifying (x2) mirror
- + metal frame
- + rotating suspension





85 × 2 × 85 cm 10 kg

• ---

2881.258

2881.218

2881.278

Hoop see p. 141

B.Ambi





p. 104 Designed by Deknudt mirrors mirrored glass + metal frame + indirect LED light

+ optional heating mat

B.Ambi 1 2803.194

B.Ambi 1 Plus (1)







 $70 \times 3 \times 70 \text{ cm}$ — 4,5 kg Power consumption — 20 Watt With heating mat — 50 Watt

Durability

LED lifetime 30.000 hrs
IP 44 and CE-certified for bathroom conditions
IEC protection CLASS II (()
Production according to european social and ecological standard

Functionality

Indirect ambient lighting LED light 3000-3400 kelvin On/off-sensor Optional heating mat ())


DEKNUDT MIRRORS

B.Light



p. 105 Designed by **Deknudt Mirrors** partially mirorred glass + metal frame + LED + optional heating mat B.Light 1 2802.194

B.Light 1 Plus **2802.195**







 $70 \times 3 \times 70 \text{ cm} - 4,5 \text{ kg}$ Illuminance (Lux at 50cm) — 250 Power consumption — 15 Watt With heating mat — 45 Watt

Durability

LED lifetime 30.000 hrs IP 44 and CE-certified for bathroom conditions IEC protection class II () Production according to European social and ecological standards

Functionality

Effective lighting for make-up purposes LED light 2800-3200 kelvin On/off-sensor Optional heating mat ([\))


Brio IP 44 1 25




p. 106 Designed by Deknudt mirrors mirrored glass + waterproof indirect led light Brio IP 44 2859.257

Brio see p.140







82 x 4 x 82 cm - 10 kg Power consumption — 16 Watt With heating mat — 46 Watt

Durability

LED lifetime 30.000 hrs IP 44 and CE-certified for bathroom conditions IEC protection CLASS II () Production according to european social and ecological standard

Functionality

Indirect ambient lighting LED light 3000-3400 kelvin Optional heating mat ([]])

150 7 year warranty — European product 151



